

GHS Safety Data Sheet

1. Product and Company Identification		
Product Name:	FX Base Color - Almond	
Product Class:	Epoxy Colorant	
Manufacturer:	Countertop Epoxy USA 2526 Patterson Rd #100 Grand Junction, CO 81505, USA Phone Number: 1 (970) 639-9338 Toll Free: 1 (800) 628-3063 Fax: 1 (800) 628-3063	
Emergency Phone Numbers:	INFOTRAC (24 HRS): USA & CANADA 1 (800) 535-5053 INFOTRAC (24 HRS): INTERNATIONAL +1 (352) 323-3500	

2. Hazard Identification

GHS HAZARD STATEMENTS

This product is not classified as hazardous according to the Globally Harmonized System (GHS). There are no other hazards not otherwise classified that have not been identified. 0 percent of the mixture consists of ingredient(s) of unknown toxicity.

GHS Label Elements

This product is not classified as hazardous according to OSHA GHS regulations within the United States. **WHMIS symbols:** Not hazardous under WHMIS. **NFPA ratings** (on a scale of 0 - 4)

Health = 0



HMIS Ratings (on a scale 0 - 4)

HEALTH	0	Health $= 0$
FLAMMABILITY	1	
REACTIVITY	0	Reactivity = 0

3. Composition/Information on Ingredients

Countertop Epoxy - FX Base Color - Almond

CAS Number	Ingredient Name	Wt % Range
13463-67-7	Titanium Dioxide	60-80%
	Carc. 2, H351	
398475-96-2	1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3- oxypropyl] dervs., compounds with polyethylene-polypropylene glycol	<10%
	Skin Irritation 2, H315; Eye Irritation 2A, H319	
1333-86-4	Carbon Black	<10%
	Care. 2, H351	

Additional Information: For the listed ingredient, the exact percentages and identity are being withheld as a proprietary information and intellectual property that is protected under the laws of the state of Colorado. Classification as a non-carcinogen is based on the non-reparability nature of the product.

4. First Aid Measures		
General Information	No special measures are required.	
Eye Contact	Remove contact lenses if worn. Rinse eyes for several minutes under running water. If symptoms persist, see a doctor.	
Skin Contact	Wash skin with soap and water. Get medical attention if irritation develops or persists.	
Inhalation	Unlikely for particulates to be inhaled during normal usage. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance.	
Ingestion	Rinse mouth and drink plenty of water. Do not induce vomiting or give anything by mouth. Get immediate medical attention.	
Information for doctor	Intestinal or gastric disorders may be experienced when ingested. Slight irritation may be experienced to eyes.	

5. Fire-Fighting Measures

Extinguishing Media	Alcohol Film Forming Foam, Carbon Dioxide, Dry Chemical, Dry Sand, Water Fog / haze
Unusual Fire and Explosion Hazards	No unusual fire or explosion hazards noted. Closed containers may explode when exposed to extreme heat due to buildup of steam. Keep containers tightly closed.
Special Firefighting Procedures	While water is unsuitable for an extinguishing agent, it may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion. Wear respiratory protective device and fully protective suit.

Countertop Epoxy - FX Base Color - Almond

6. Accidental Release Measures

Personal Precautions and Procedures	Ensure adequate ventilation. For large spills, wear protective clothing and use respiratory protection to protect from fumes, dust, and aerosol.
Environmental Precautions	Do not allow undiluted product or large quantities to flow into water sources above or below ground, including sewage systems.
Containment	Contain spilled liquid with sand, diatomaceous earth, acid binders, universal binders, sawdust. Dispose unusable material according to section 13. Dispose of according to federal, state and local regulations. Clean the affected area carefully with warm water and cleansing agent.

7. Handling and Storage

Handling	Avoid splashing or spraying product in enclosed areas. Only use in well-ventilated areas.
Storage	Store in a dry, well ventilated place. Keep container tightly closed when not in use. Isolate from heat, electrical equipment, sparks and open flame. Keep away from heat, sparks, flame and sources of ignition. Avoid excess heat.

8. Exposure Controls/Personal Protection

Components with limit values that require monitoring in the workplace		
13463-67-7 Titanium Dioxide		
PEL (USA)	Long-term value: 15* mg/m ³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m ³ withdrawn from NIC	
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust; **respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m ³ Total dust	
LMPE (Mexico)	Long-term value: 10 mg/m ³ A4	
1333-86-4 Carbon Black		

07/15/2019

GHS – SAFETY DATA SHEET

Countertop Epoxy - FX Base Color - Almond

Long-term value: 3.5 mg/m ³
Long-term value: 3.5* mg/m ³ *0.1 in presence of PAHs; see Pocket Guide Apps. A+C
Long-term value: 3* mg/m ³ *inhalable fraction
Long-term value: 3 mg/m ³ IARC 2B
Long-term value: 3.5 mg/m ³
Long-term value: 3 mg/m ³
A3, *fracción inhalable
Not required under normal use. When aerosol or mist is formed, or when high concentrations are present, wear suitable respiratory protection.
Follow normal precautionary measures for handling chemicals. Keep away from food products, beverages, and livestock feed. Avoid close or long term contact with skin.
Protective clothing may be required for spills. Avoid contact with eyes.

9. Physical and Chemical Properties

A	T ' ' 1		т1
Appearance:	Liquid	Physical State:	Liquid
Color:	light tan colored	Odor:	Mild
Odor Threshold:	N.D.	pН	6
Melting point/range	N.D.	Boiling point/range	>199°C (>390°F)
Flash point	204°C (399°F)	Flammability	N.A.
Auto-ignition temperature	N.D.	Decomposition temperature	N.D.
Auto igniting	N.A.	Danger of explosion	Not a hazard
Oxidizing properties	Non-oxidizing		
Vapor pressure $@ 20^{\circ}C (68^{\circ}F)$	<0.0013 hPa (<0 mm Hg) (<0.0	001 mm Hg)	
Density @ 20°C (68°F)	2.10 g/cm ³ (17.51 lbs/gal)	Relative Density:	N.D.
Vapor density	N.D.	Evaporation rate	N.D.
Solubility in water	Slight	Partition coefficient (n-octanol	water) N.D.
Viscosity - dynamic @ 25°C (7	77 ⁰ F) 19,000 +/- 5700 CP	S	
Viscosity - kinematic	N.D.		
No further relevant information	n available.		

10. Stability and Reactivity

Countertop Epoxy - FX Base Color - Almond

Reactivity

Chemical Stability	
Thermal Decomposition / Conditions to be Avoided	No decomposition if used and stored according to specifications.
Possible Hazardous Reactions	Reacts with strong oxidizing agents. Toxic fumes may be released if heated above the decomposition point.
Conditions to Avoid	No further relevant information available.
Incompatible Materials	No further relevant information available.
Hazardous Decomposition Products	Possible in traces

11. Toxicological Information		
Acute Toxicity	LD/LC50 relevant values for classification: None. Primary irritant effect: No irritant effect on skin, slight irritant effect on eyes.	
Sensitization	No sensitizing effects known.	
Additional Toxicological Information	According to internally approved calculation methods for preparations, this product is not subject to classification. When used and handled according to specifications, there are no harmful effects according to experience and information provided.	
NTP (National Toxicology Program)	None of the ingredients are listed with NTP	
OSHA-CA	None of the ingredients are listed with OSHA-Ca.	
Probably Routes of Exposure	Ingestion. Inhalation. Eye contact. Skin contact.	
Acute Effects	(Toxicity, irritation and corrosivity) from product as supplied: None.	
Repeated Dose Toxicity	No further relevant information available.	
CMR Effects	(carcinogenity, mutagenicity and toxic for reproduction) Germ cell mutagenicity based on available data, classification criteria not met.	
Carcinogenicity	Contains known or suspect carcinogens when inhaled. Product is not inhalable in normal form and is non-classifiable as a carcinogen. Based on available data, classification criteria not met.	

Countertop Epoxy - FX Base Color - Almond

Reproductive Toxicity	Based on available data, classification criteria not met.
STOT-Single Exposure	Based on available data, classification criteria not met.
STOT-Repeated Exposure	Based on available data, classification criteria not met.
Aspiration Hazard	Based on available data, classification criteria not met.

12. Ecological Information		
Aquatic Toxicity	The product contains materials that are harmful to the environment.	
398475-96-2	1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3-oxypropyl] dervs., compounds with polyethylene-polypropylene glycol	
EC50 LC50	<1.0 mg/kg (Pseudokirchneriella subcapitata) 8.0 mg/l (Oncorhynchus mykiss)	
Persistence and Degradability	No further relevant information available.	
Behavior in Environmental Systems		
Bio Accumulative Potential	No further relevant information available.	
Mobility in Soil	No further relevant information available.	
Additional Ecological Information		
General Notes	Do not allow undiluted or large quantities of product to reach ground water, water course or sewage system. Due to available data on eliminability/decomposition and bio accumulation potential, prolonged term damage of the environment cannot be excluded.	
Other Adverse Effects	No further relevant information available.	

13. Disposal Considerations

Recommended Waste Treatment Methods	Small quantities can be disposed with household waste. User is responsible for disposing of unused material, residues and containers in compliance with all relevant federal, state and local laws and regulations regarding treatment, storage and disposal of hazardous and non-hazardous waste.
Recommendation for Uncleaned Packaging	Disposal must be performed according to all applicable regulations.

Countertop Epoxy - FX Base Color - Almond

14: Transport Inf	ormation			
UN Number	<u>ADR</u> UN3082	IMDG UN3082	<u>IATA</u> UN3082	<u>USDOT</u> Not Regulated
UN Proper Shipping Nan	ne 3082 Em	vironmentally hazardous	substance, liquid, N	.O.S. (Alkylammonium Sa
Label Markings				
Limited quantity	for packages <	30kg (66 lbs) and inner j	backaging < 5L (1.3	gal)
Mh. 9 (M6) Miscella	neous dangerou	s substances and articles	(ADR, IMDG, IAT	A)
Environmental	y hazardous (A	DR, IATA)		
Packing Group III		MDG, IATA)		
Marine Pollutant Special Precautions for u	No ser Warning	Miscellaneous dangerou	is substances and ar	ticles
Danger Code (Kemler) EMS Number	90 E A S E			
Transport in bulk accordi	F-A,S-F ng to Annex II o	of MARPOL 37/78 and th	ne IBC Code (Not A	pplicable)
DOT Remarks	Transpor vehicle,	t labeling not required fo ail or aircraft. Bulk pack	r non-bulk single pa aging consists of a 1	ckage shipments by motor max. capacity of $< 450L$ (1
approximationgal) for liquid and max. net mass > 400kg (882 lbs) for solid.ADR Excepted Qtys (EQ)Code: E1		5014.		
		quantity inner packaging quantity outer packaging		
UN "Model Regulation"	UN3082	Environmentally hazard	ous substances, liqu	id N.O.S., 9, III
Hazard Class:	N.A.	3	3	
Limited Quantity:	No	Yes, >5L No	Yes,	>5L No

15. Regulatory Information

Safety, Health, Environmental Regulations/Legislation for Substance/Mixture	USA, SARA
	None of the ingredients are listed.
Section 355 (Extremely Hazardous Substances)	None of the ingredients are listed.
Section 313 (Specific Toxic Chemical Listings)	
TSCA (Toxic Substances Control Act)	All ingredients are listed.
Proposition 65 (California) chemicals known to cause cancer	Reference to Carbon Black and Titanium Dioxide based on unbound respirable particles, generally not applicable to product as supplied.

Countertop Epoxy - FX Base Color - Almond

13463-67-7	Titanium Dioxide	
1333-86-4	Carbon Black	
Chemicals known to cause reproductive toxicity for females	None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males	None of the ingredients are listed.	
Chemicals known to cause developmental toxicity	None of the ingredients are listed.	
EPA (Environmental Protection Agency)	None of the ingredients are listed.	
IARC (International Agency for Research on	Cancer)	
13463-67-7	Titanium Dioxide	2B
1333-86-4	Carbon Black	2B
1309-37-1	Diiron Trioxide/Iron (III) Oxide	3
TLV (Threshold Limit Value Established by	ACGIH)	
13463-67-7	Titanium Dioxide	A4
1333-86-4	Carbon Black	A4
1309-37-1	Diiron Trioxide/Iron (III) Oxide	A4
NIOSH-Ca (National Institute for Occupation	al Safety and Health)	
13463-67-7	Titanium Dioxide	
1333-86-4	Carbon Black	
State Right to Know Listings	None of the ingredients are listed.	
Canadian Domestic Substances List (DSL)	All of the ingredients are listed.	
Canadian Ingredient Disclosure List (limit 0.1%)	None of the ingredients are listed.	
Canadian Ingredient Disclosure List (limit 1%)	1309-37-1 Diiron Trioxide/Iron (III) Oxide	
Other Regulations, Limitations and Prohibitive Regulations	This product is classified in accordance to hazard constraints of the Controlled Products Regulations. The SDS contains all information required by Controlled Pro Regulations.	
Australian NOHSC	Non-Hazardous Substance (Classified according to Safe Australia NOHSC 2011 National Code of Prac	
Australia ADG	Dangerous Goods (Classified according to National Transport Commission Australian Dangerous Good Code)	
New Zealand HSNO	Hazardous (Classified according to the Minimum	
	0	

Countertop Epoxy - FX Base Color - Almond

	Degrees of Hazard Regulations 2001) Hazard Pictogram: GHS09 Signal Word: WARNING
New Zealand HSNO Hazard Statements	HSNO 9.1D Aquatic Acute 2 H401 Toxic to aquatic life. HSNO 9.1B Aquatic Chronic H411 Toxic to aquatic life with long lasting effects. HSNO 9.2B H422 Toxic to the soil environment. HSNO 9.3C H433 Harmful to terrestrial vertebrates.
New Zealand HSNO Precautionary Statements	P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out.

16. Other Information

Abbreviations, Acronyms and Other Terms

ADR: Accord Européen sur le transport des marchandise en danger us es par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road) ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) DOT: US Department of Transportation EINECS: European Inventory of Existing Commercial Chemical Substances ELNCS: European List of Notified Chemical Substances HMIS: Hazardous Materials Identification System (USA) IATA: International Air Transport Association. IMDG: International Maritime Code for Dangerous Goods LC50: Lethal concentration, 50 per cent LD50: Lethal Dose, 50 per cent NFPA: National Fire Protection Association (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) Carc. 2: Carcinogenicity, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

The information provided herein was believed by Countertop Epoxy to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Countertop Epoxy are subject to Countertop Epoxy terms and conditions of sale. COUNTERTOP EPOXY MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY COUNTERTOP EPOXY, except that the product shall conform to Countertop Epoxy specifications. Nothing contained herein constitutes an offer for the sale of any product.