

GHS Safety Data Sheet

1. Product and Company Identification		
Product Name:	FX Base Color - Yellow	
Product Class:	Epoxy Colorant	
Manufacturer:	Countertop Epoxy USA 2526 Patterson Rd #100 Grand Junction, CO 81505, USA Phone Number: 1 (970) 639-9338 Toll Free: 1 (800) 628-3063 Fax: 1 (800) 628-3063	
Emergency Phone Numbers:	INFOTRAC (24 HRS): USA & CANADA 1 (800) 535-5053 INFOTRAC (24 HRS): INTERNATIONAL +1 (352) 323-3500	

2. Hazard Identification

GHS HAZARD STATEMENTS

This product is not classified as hazardous according to the Globally Harmonized System (GHS). There are no other hazards not otherwise classified that have not been identified. 0 percent of the mixture consists of ingredient(s) of unknown toxicity.

GHS Label Elements

This product is not classified as hazardous according to OSHA GHS regulations within the United States. **WHMIS symbols:** Not hazardous under WHMIS. **NFPA ratings** (on a scale of 0 - 4)

Health = 0



HMIS Ratings (on a scale 0 - 4)

HEALTH	0	Health $= 0$
FLAMMABILITY	1	
REACTIVITY	0	Reactivity = 0

3. Composition/Information on Ingredients

Countertop Epoxy - FX Base Color - Yellow

CAS Number	Ingredient Name	Wt % Range
398475-96-2	1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3- oxypropyl] dervs., compounds with polyethylene-polypropylene glycol	<10%
	Skin Irritation 2, H315; Eye Irritation 2A, H319	

Additional Information: For the listed ingredient, the exact percentages and identity are being withheld as a proprietary information and intellectual property that is protected under the laws of the state of Colorado. Classification as a non-carcinogen is based on the non-reparability nature of the product.

4. First Aid Measures

General Information	No special measures are required.
Eye Contact	Remove contact lenses if worn. Rinse eyes for several minutes under running water. If symptoms persist, see a doctor.
Skin Contact	Wash skin with soap and water. Get medical attention if irritation develops or persists.
Inhalation	Unlikely for particulates to be inhaled during normal usage. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical assistance.
Ingestion	Rinse mouth and drink plenty of water. Do not induce vomiting or give anything by mouth. Get immediate medical attention.
Information for doctor	Intestinal or gastric disorders may be experienced when ingested. Slight irritation may be experienced to eyes.

5. Fire-Fighting Measures

Extinguishing Media	Alcohol Film Forming Foam, Carbon Dioxide, Dry Chemical, Dry Sand, Water Fog / haze
Unusual Fire and Explosion Hazards	No unusual fire or explosion hazards noted. Closed containers may explode when exposed to extreme heat due to buildup of steam. Keep containers tightly closed.
Special Firefighting Procedures	While water is unsuitable for an extinguishing agent, it may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion. Wear respiratory protective device and fully protective suit.

6. Accidental Release Measures

Countertop Epoxy - FX Base Color - Yellow

Personal Precautions and	Ensure adequate ventilation.
Procedures	For large spills, wear protective clothing and use respiratory protection to protect from fumes, dust, and aerosol.
Environmental Precautions	Do not allow undiluted product or large quantities to flow into water sources above or below ground, including sewage systems.
Containment	Contain spilled liquid with sand, diatomaceous earth, acid binders, universal binders, sawdust. Dispose unusable material according to section 13. Dispose of according to federal, state and local regulations. Clean the affected area carefully with warm water and cleansing agent.

7. Handling and Storage

Handling	Avoid splashing or spraying product in enclosed areas. Only use in well-ventilated areas.
Storage	Store in a dry, well ventilated place. Keep container tightly closed when not in use. Isolate from heat, electrical equipment, sparks and open flame. Keep away from heat, sparks, flame and sources of ignition. Avoid excess heat.

8. Exposure Controls/Personal Protection

Respiratory Protection	Not required under normal use. When aerosol or mist is formed, or when high concentrations are present, wear suitable respiratory protection.
General Protection	Follow normal precautionary measures for handling chemicals. Keep away from food products, beverages, and livestock feed. Avoid close or long term contact with skin. Protective clothing may be required for spills. Avoid contact with eyes.
Hand Protection	Wear rubber gloves of a material which is impermeable and resistant to the product and prepared mixtures.
Eye Protection	Wear safety glasses.

9. Physical and Chemical Properties

Appearance:	Liquid
Color:	greenish yellow
Odor Threshold:	N.D.
Melting point/range	N.D.
Flash point	204ºC (399ºF)
Auto-ignition temperature	N.D.
Auto igniting	N.A.

Physical State:LiquidOdor:MildpH6Boiling point/range> 199°C (>390°F)FlammabilityN.A.Decomposition temperatureN.D.Danger of explosionNot a hazard

Countertop Epoxy - FX Base Color - Yellow

Oxidizing properties	Non-oxidizing			
Vapor pressure @ 20° C (68°F)	<0.0013 hPa (<0 mm Hg) (<0.0	001 mm Hg)		
Density @ 20° C (68°F)	1.12 g/cm ³ (9.37 lbs/gal)	Relative Density:	N.D.	
Vapor density	N.D.	Evaporation rate	N.D.	
Solubility in water	Slight	Partition coefficient (n-octano	ol water)	N.D.
Viscosity - dynamic @ 25°C (7	(7°F) 4600 +/- 1000 CPS			
Viscosity - kinematic	N.D.			
No further relevant information	n available.			

10. Stability and Reactivity

Reactivity

Chemical Stability

Thermal Decomposition / Conditions to be Avoided	No decomposition if used and stored according to specifications.
Possible Hazardous Reactions	Reacts with strong oxidizing agents. Toxic fumes may be released if heated above the decomposition point.
Conditions to Avoid	No further relevant information available.
Incompatible Materials	No further relevant information available.
Hazardous Decomposition Products	Possible in traces

11. Toxicological Information

Acute Toxicity	LD/LC50 relevant values for classification: None. Primary irritant effect: No irritant effect on skin, slight irritant effect on eyes.
Sensitization	No sensitizing effects known.
Additional Toxicological Information	According to internally approved calculation methods for preparations, this product is not subject to classification. When used and handled according to specifications, there are no harmful effects according to experience and information provided.
NTP (National Toxicology Program)	None of the ingredients are listed with NTP
OSHA-CA	None of the ingredients are listed with OSHA-Ca.
Probably Routes of Exposure	Ingestion. Inhalation. Eye contact.

Countertop Epoxy - FX Base Color - Yellow

	Skin contact.
Acute Effects	(Toxicity, irritation and corrosivity) from product as supplied: None.
Repeated Dose Toxicity	No further relevant information available.
CMR Effects	(carcinogenity, mutagenicity and toxic for reproduction) Germ cell mutagenicity based on available data, classification criteria not met.
Carcinogenicity	Contains known or suspect carcinogens when inhaled. Product is not inhalable in normal form and is non-classifiable as a carcinogen. Based on available data, classification criteria not met.
Reproductive Toxicity	Based on available data, classification criteria not met.
STOT-Single Exposure	Based on available data, classification criteria not met.
STOT-Repeated Exposure	Based on available data, classification criteria not met.
Aspiration Hazard	Based on available data, classification criteria not met.

12. Ecological Information

Aquatic Toxicity

The product contains materials that are harmful to the environment.

398475-96-2	1, 2-Ethanediamine, polymer with aziridine, N-[3-[(2-ethylhexyl) oxy]-3- oxypropyl] dervs., compounds with polyethylene-polypropylene glycol
EC50	<1.0 mg/kg (Pseudokirchneriella subcapitata)
LC50	8.0 mg/l (Oncorhynchus mykiss)

Persistence and Degradability	No further relevant information available.
Behavior in Environmental Systems	
Bio Accumulative Potential	No further relevant information available.
Mobility in Soil	No further relevant information available.
Additional Ecological Information	
General Notes	Do not allow undiluted or large quantities of product to reach ground water, water course or sewage system. Due to available data on eliminability/decomposition and bio accumulation potential, prolonged term damage of the environment cannot be excluded.
Other Adverse Effects	No further relevant information available.

Countertop Epoxy - FX Base Color - Yellow

13. Disposal Considerations

Recommended Waste Treatment Methods	Small quantities can be disposed with household waste. User is responsible for disposing of unused material, residues and containers in compliance with all relevant federal, state and local laws and regulations regarding treatment, storage and disposal of hazardous and non-hazardous waste.
Recommendation for Uncleaned Packaging	Disposal must be performed according to all applicable regulations.

14: Transport Information				
UN Number	<u>ADR</u>	<u>IMDG</u>	<u>IATA</u>	<u>USDOT</u>
	UN3082	UN3082	UN3082	Not Regulated

UN Proper Shipping Name 3082 Environmentally hazardous substance, liquid, N.O.S. (Alkylammonium Salt)

Label Markings

Limited quantity for packages < 30kg (66 lbs) and inner packaging < 5L (1.3 gal)

9 (M6) Miscellaneous dangerous substances and articles (ADR, IMDG, IATA)

Environmentally hazardous (ADR, IATA)

Packing Group III	(ADR, IMDG, IAT	TA)	
Marine Pollutant	No		
Special Precautions for use	r Warning: Miscella	neous dangerous substances	s and articles
Danger Code (Kemler)	90	Fig. 1. Contract of the state of the stat	
EMS Number	F-A,S-F		
Transport in bulk according	g to Annex II of MARPO	DL 37/78 and the IBC Code	(Not Applicable)
DOT Remarks	Transport labeling	not required for non-bulk s	ingle package shipments by motor
ADR Excepted Qtys (EQ)	gal) for liquid and Code: E1 Max. net quantity i	vehicle, rail or aircraft. Bulk packaging consists of a max. capacity of $< 450L$ (1) gal) for liquid and max. net mass $> 400kg$ (882 lbs) for solid.	
UN "Model Regulation"	UN3082, Environr	nentally hazardous substand	ces, liquid N.O.S., 9, III
Hazard Class:	N.A.	3	3
Limited Quantity:	No	Yes, >5L No	Yes, >5L No

15. Regulatory Information

Countertop Epoxy - FX Base Color - Yellow

Safety, Health, Environmental Regulations/Legislation for Substance/Mixture	USA, SARA
	None of the ingredients are listed.
Section 355 (Extremely Hazardous Substances)	None of the ingredients are listed.
Section 313 (Specific Toxic Chemical Listings)	
TSCA (Toxic Substances Control Act)	All ingredients are listed.
Chemicals known to cause reproductive toxicity for females	None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for males	None of the ingredients are listed.
Chemicals known to cause developmental toxicity	None of the ingredients are listed.
IARC (International Agency for Research on Cancer)	None of the ingredients are listed.
TLV (Threshold Limit Value Established by ACGIH)	None of the ingredients are listed.
NIOSH-Ca (National Institute for Occupational Safety and Health)	None of the ingredients are listed.
State Right to Know Listings	None of the ingredients are listed.
Canadian Domestic Substances List (DSL)	All of the ingredients are listed.
Canadian Ingredient Disclosure List (limit 0.1%)	None of the ingredients are listed.
Canadian Ingredient Disclosure List (limit 1%)	None of the ingredients are listed.
Other Regulations, Limitations and Prohibitive Regulations	This product is classified in accordance to hazard criteria of the Controlled Products Regulations. The SDS contains all information required by Controlled Products Regulations.
Australian NOHSC	Non-Hazardous Substance (Classified according to Work Safe Australia NOHSC 2011 National Code of Practice)
Australia ADG	Dangerous Goods (Classified according to National Transport Commission Australian Dangerous Goods Code)
New Zealand HSNO	Hazardous (Classified according to the Minimum Degrees of Hazard Regulations 2001) Hazard Pictogram: GHS09 Signal Word: WARNING
New Zealand HSNO Hazard Statements	HSNO 9.1D Aquatic Acute 2 H401 Toxic to aquatic life.
	-

	HSNO 9.1B Aquatic Chronic H411 Toxic to aquatic life with long lasting effects. HSNO 9.2B H422 Toxic to the soil environment. HSNO 9.3C H433 Harmful to terrestrial vertebrates.
New Zealand HSNO Precautionary Statements	P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out.

16. Other Information

Abbreviations, Acronyms and Other Terms

ADR: Accord Européen sur le transport des marchandise en danger us es par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) DOT: US Department of Transportation EINECS: European Inventory of Existing Commercial Chemical Substances ELNCS: European List of Notified Chemical Substances HMIS: Hazardous Materials Identification System (USA) IATA: International Air Transport Association. IMDG: International Maritime Code for Dangerous Goods LC50: Lethal concentration, 50 per cent LD50: Lethal Dose, 50 per cent NFPA: National Fire Protection Association (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) Carc. 2: Carcinogenicity, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

The information provided herein was believed by Countertop Epoxy to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Countertop Epoxy are subject to Countertop Epoxy terms and conditions of sale. COUNTERTOP EPOXY MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY COUNTERTOP EPOXY, except that the product shall conform to Countertop Epoxy specifications. Nothing contained herein constitutes an offer for the sale of any product.